

## GF Instaflex cutting insert 50-100

1152713

- \*as long as stock last



### About GF Instaflex cutting insert

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

#### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex cutting insert 50-100

1152713

**Status**

Item Available From date 2025-11-14

Until stocks last Until stocks last

**Product code**

Item no EAN 7611205903862

Item no GF 761070323

Item no GTIN 07611205903862

**Dimensions**

Item Unit Height 60

Item Unit Length 270

Item Unit Weight 2

Item Unit Width 140

Item\_UOM pce

**Technical data**

Recycling Text Block PL1 corrugated cardboard / cartone

**Packaging**

Packaging GTIN PL1 06414900603102

Packaging Height PL1 108

Packaging Length PL1 252

Packaging Material (number) PL1 20

Packaging Material PL1 corrugated cardboard / cartone

Packaging Material (short) PL1 PAP\_C

Packaging Quantity PL1 1

Packaging Type PL1 BASE\_BOX

Packaging Volume PL1 0,003592512

Packaging Weight PL1 2,09

Packaging Width PL1 132

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)