


## GF Malleable Fittings short bend 1A 90deg 1 B

### 1152800

Short bend 90°, ISO/EN D4



## About GF Malleable Fittings short bend 1A 90deg


### Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings short bend 1A 90deg 1 B 1152800



### Product code

Item no EAN	7611205300241
Item no GF	770011106
Item no GTIN	07611205300241
Item no RSK	1267053
Item no VVS	004010108

### Dimensions

Item Unit Height	46
Item Unit Length	80
Item Unit Weight	0,328
Item Unit Width	86
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205100247
Packaging GTIN PL4	06414900242554
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	35
Packaging Quantity PL4	1890
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	11,694
Packaging Weight PL4	639,92
Packaging Width PL1	190

Packaging Width PL4

800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)