

GF Malleable Fittings 90 - elbow reducing, galvanized 90° 1 1/2 - 3/4

1152996

- Elbow 90°, reducing, ISO/EN A1



About GF Malleable Fittings 90 - elbow reducing, galvanized 90°

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings 90 - elbow reducing, galvanized 90° 1 1/2 - 3/4

1152996



Status

Item Available From date

2025-09-05

Product code

Item no EAN 7611205407667

Item no GF 770090225

Item no GTIN 07611205407667

Item no VVS 004090457

Dimensions

Item Unit Height 62

Item Unit Length 75

Item Unit Weight 0,3717

Item Unit Width 57

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205207663

Packaging GTIN PL4 06414900186964

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 30

Packaging Quantity PL4 1620

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1 11,365

Packaging Weight PL4 622,154

Packaging Width PL1	190
---------------------	-----

Packaging Width PL4	800
---------------------	-----

Measurements

Z Measurement a	38
-----------------	----

Z Measurement a	38
-----------------	----

Z Measurement b	44
-----------------	----

z1	19
----	----

Z2	29
----	----

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com