

## GF Malleable Fittings elbow equal 92 90deg 1 B

**1153024**

- Elbow 90°, equal, ISO/EN A4
- Male / female



### About GF Malleable Fittings elbow equal 92 90deg

#### Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from ¼" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings elbow equal 92 90deg 1 B

1153024



### Product code

Item no EAN	7611205308087
Item no GF	770092106
Item no GTIN	07611205308087
Item no LVI	0755039
Item no NOBB	60638899
Item no NRF	1366631
Item no RSK	1271352
Item no VVS	004092108

### Dimensions

Item Unit Height	46
Item Unit Length	55
Item Unit Weight	0,303
Item Unit Width	75
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205508081
Packaging GTIN PL2	07611205108083
Packaging GTIN PL4	06414900184106
Packaging Height PL1	46
Packaging Height PL2	200
Packaging Height PL4	729
Packaging Length PL1	270
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	30
Packaging Quantity PL4	1620

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0065826
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	3,04
Packaging Weight PL2	9,22
Packaging Weight PL4	522,88
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)