


GF Malleable Fittings elbow red 92 90deg 1/2 - 3/4 G

1153062

- Elbow 90°, female thread reduced, ISO/EN A4
- Male / female



About GF Malleable Fittings elbow red 92 90deg

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings elbow red 92 90deg 1/2 - 3/4 G

1153062



Status

Item Available From date

2025-09-05

Product code

Item no EAN 7611205408251

Item no GF 770092225

Item no GTIN 07611205408251

Item no RSK 1306054

Dimensions

Item Unit Height 32

Item Unit Length 48

Item Unit Weight 0,1499

Item Unit Width 58

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205608255

Packaging GTIN PL2 07611205208257

Packaging GTIN PL4 06414900186759

Packaging Height PL1 32

Packaging Height PL2 100

Packaging Height PL4 508

Packaging Length PL1 225

Packaging Length PL2 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL2 40

Packaging Quantity PL4 2880

Packaging Type PL1 Plastic_Bag

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,003816
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	1,509
Packaging Weight PL2	6,136
Packaging Weight PL4	466,792
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb