


GF Malleable Fittings union elbow flat seat 95 1/2 G

1153100

- Union elbow, flat seat, ISO/EN UA1
- Supplied without sealing gaskets
- a and z2 include the seal thickness as per table "Sealing Gasket Dimension".
- '374 G' refers to the thread size 'G' according to ISO 228 of the union nut 374
- * Inside hexagon
- Female / female



About GF Malleable Fittings union elbow flat seat 95

Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings union elbow flat seat 95 1/2 G

1153100



Status

Item Available From date

2025-09-05

Product code

Item no EAN	7611205409012
Item no GF	770095204
Item no GTIN	07611205409012
Item no RSK	1261202
Item no VVS	004095404

Dimensions

Item Unit Height	41
Item Unit Length	59
Item Unit Weight	0,2517
Item Unit Width	74
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205609016
Packaging GTIN PL2	07611205209018
Packaging GTIN PL4	06414900186513
Packaging Height PL1	41
Packaging Height PL2	200
Packaging Height PL4	729
Packaging Length PL1	225
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	60
Packaging Quantity PL4	3240
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00488925
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	2,527
Packaging Weight PL2	15,262
Packaging Weight PL4	849,148
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

[Download documents here](#) 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb