


## GF Malleable Fittings union elbow taper seat 96 1 B

### 1153110

Union elbow, taper seat, ISO/EN UA11

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.
- \* Inside hexagon



## About GF Malleable Fittings union elbow taper seat 96


### Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings union elbow taper seat 96 1 B 1153110



### Product code

Item no EAN	7611205309558
Item no GF	770096106
Item no GTIN	07611205309558
Item no RSK	1262450
Item no VVS	004096108

### Dimensions

Item Unit Height	55
Item Unit Length	68
Item Unit Weight	0,533
Item Unit Width	95
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205109554
Packaging GTIN PL4	06414900183628
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	25
Packaging Quantity PL4	1350
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	13,5465
Packaging Weight PL4	739,955
Packaging Width PL1	190

Packaging Width PL4

800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)