


GF Malleable Fittings union elbow taper seat 98 3/8 G

1153152

Union elbow, taper seat, ISO/EN UA12

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union elbow taper seat 98

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union elbow taper seat 98 3/8 G

1153152



Status

Item Available From date 2025-09-05

Product code

Item no EAN 7611205410056

Item no GF 770098203

Item no GTIN 07611205410056

Item no RSK 1261279

Item no VVS 004098403

Dimensions

Item Unit Height 32

Item Unit Length 43

Item Unit Weight 0,1685

Item Unit Width 79

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205210052

Packaging GTIN PL4 06414900186223

Packaging Height PL1 100

Packaging Height PL4 508

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 40

Packaging Quantity PL4 2880

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00494

Packaging Volume PL4 0,48768

Packaging Weight PL1 6,86

Packaging Weight PL4	505,28
Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb