


GF Malleable Fittings union elbow taper seat 98 2 1/2 G

1153159

Union elbow, taper seat, ISO/EN UA12

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union elbow taper seat 98


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union elbow taper seat 98 2 1/2 G 1153159



Status

Item Available From date 2025-09-05

Product code

Item no EAN	7611205410131
Item no GF	770098210
Item no GTIN	07611205410131
Item no RSK	1261286
Item no VVS	004098413

Dimensions

Item Unit Height	111
Item Unit Length	131
Item Unit Weight	3,324
Item Unit Width	210
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205210137
Packaging GTIN PL4	06414900186155
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	385
Packaging Length PL4	1200
Packaging Quantity PL1	6
Packaging Quantity PL4	162
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,019635
Packaging Volume PL4	0,69984
Packaging Weight PL1	20,364

Packaging Weight PL4	558,488
Packaging Width PL1	255
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb