

GF Malleable Fittings tee reducer 130 3 - 3 - 2 G

1153266

- Malleable cast iron
- Tee, reducing or increasing on the branch, reducing on the run
- ISO/EN B1



About GF Malleable Fittings tee reducer 130

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings tee reducer 130 3 - 3 - 2 G

1153266



Status

Item Available From date

2025-09-05

Product code

Item no EAN	7611205415570
Item no GF	770129232
Item no GTIN	07611205415570
Item no RSK	1280050
Item no VVS	004130691

Dimensions

Item Unit Height	107
Item Unit Length	133
Item Unit Weight	2,16
Item Unit Width	150
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900572576
Packaging GTIN PL4	06414900572583
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	2
Packaging Quantity PL4	108
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00988
Packaging Volume PL4	0,6998399999999999
Packaging Weight PL1	4,534
Packaging Weight PL4	269,836
Packaging Width PL1	190
Packaging Width PL4	800

Technical data

Recycling Text Block PL1 corrugated cardboard / cartone

Measurements

z1	48
Z2	49
Z3	48

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb