

## GF Malleable Fittings tee reducer 130 1/2 - 1 G

**1153394**

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81
- Female /female /female



### About GF Malleable Fittings tee reducer 130

#### Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings tee reducer 130 1/2 - 1 G

1153394



### Status

Item Available From date

2025-09-05

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205413590  |
| Item no GF   | 770130230      |
| Item no GTIN | 07611205413590 |
| Item no RSK  | 1280054        |
| Item no VVS  | 004130527      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 46    |
| Item Unit Length | 48    |
| Item Unit Weight | 0,253 |
| Item Unit Width  | 68    |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205613594 |
| Packaging GTIN PL2     | 07611205213596 |
| Packaging GTIN PL4     | 06414900185127 |
| Packaging Height PL1   | 46             |
| Packaging Height PL2   | 200            |
| Packaging Height PL4   | 729            |
| Packaging Length PL1   | 300            |
| Packaging Length PL2   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 10             |
| Packaging Quantity PL2 | 50             |
| Packaging Quantity PL4 | 2700           |
| Packaging Type PL1     | Plastic_Bag    |

|                      |            |
|----------------------|------------|
| Packaging Type PL2   | Medium_Box |
| Packaging Type PL4   | Pallet     |
| Packaging Volume PL1 | 0,007314   |
| Packaging Volume PL2 | 0,00988    |
| Packaging Volume PL4 | 0,69984    |
| Packaging Weight PL1 | 2,54       |
| Packaging Weight PL2 | 12,8       |
| Packaging Weight PL4 | 716,2      |
| Packaging Width PL1  | 530        |
| Packaging Width PL2  | 190        |
| Packaging Width PL4  | 800        |
| <b>Measurements</b>  |            |
| z1                   | 21         |
| Z2                   | 15         |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 927000  
 E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)