


GF Malleable Fittings tee reduced 1 1/2 - 3/4 - 1 1/4

1153428

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81



About GF Malleable Fittings tee reduced

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings tee reduced 1 1/2 - 3/4 - 1 1/4

1153428



Status

Item Available From date

2025-09-05

Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205414337 |
| Item no GF | 770130265 |
| Item no GTIN | 07611205414337 |
| Item no RSK | 1284025 |
| Item no VVS | 004130618 |

Dimensions

| | |
|------------------|--------|
| Item Unit Height | 62 |
| Item Unit Length | 75 |
| Item Unit Weight | 0,4843 |
| Item Unit Width | 74 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 07611205214333 |
| Packaging GTIN PL4 | 06414900127103 |
| Packaging Height PL1 | 200 |
| Packaging Height PL4 | 729 |
| Packaging Length PL1 | 260 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 20 |
| Packaging Quantity PL4 | 1080 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00988 |
| Packaging Volume PL4 | 0,69984 |
| Packaging Weight PL1 | 9,9 |

| | |
|----------------------|---------|
| Packaging Weight PL4 | 543,044 |
|----------------------|---------|

| | |
|---------------------|-----|
| Packaging Width PL1 | 190 |
|---------------------|-----|

| | |
|---------------------|-----|
| Packaging Width PL4 | 800 |
|---------------------|-----|

Measurements

| | |
|-----------------|----|
| Z Measurement a | 38 |
|-----------------|----|

| | |
|-----------------|----|
| Z Measurement a | 38 |
|-----------------|----|

| | |
|-----------------|----|
| Z Measurement b | 44 |
|-----------------|----|

| | |
|----|----|
| z1 | 19 |
|----|----|

| | |
|----|----|
| Z2 | 29 |
|----|----|

| | |
|----|----|
| Z3 | 17 |
|----|----|

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com