


GF Malleable Fittings socket reduced 240 2 - 1/2 B

1153701



About GF Malleable Fittings socket reduced 240

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings socket reduced 240 2 - 1/2 B

1153701



Product code

Item no EAN	7611205324674
Item no GF	770240134
Item no GTIN	07611205324674
Item no RSK	1363659
Item no VVS	004240163

Dimensions

Item Unit Height	75
Item Unit Length	75
Item Unit Weight	0,434
Item Unit Width	65
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205124670
Packaging GTIN PL4	06414900122719
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	25
Packaging Quantity PL4	1350
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	11,054
Packaging Weight PL4	605,36
Packaging Width PL1	190

Packaging Width PL4

800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb