


GF Malleable Fittings socket reduced 240 1 1/4 - 1/2 G 1153727



About GF Malleable Fittings socket reduced 240

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings socket reduced 240 1 1/4 - 1/2 G

1153727



Product code

Item no EAN	7611205424497
Item no GF	770240227
Item no GTIN	07611205424497
Item no NOBB	60672606
Item no NRF	1387713
Item no RSK	1314186
Item no VVS	004240449

Dimensions

Item Unit Height	55
Item Unit Length	55
Item Unit Weight	0,251
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205224493
Packaging GTIN PL4	06414900125475
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	40
Packaging Quantity PL4	2160
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	10,254

Packaging Weight PL4	562,16
Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb