


## GF Malleable Fittings socket reduced 240 1 1/4 - 3/4 G 1153728



### About GF Malleable Fittings socket reduced 240

#### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

#### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings socket reduced 240 1 1/4 - 3/4 G

1153728



### Product code

Item no EAN 7611205424503

Item no GF 770240228

Item no GTIN 07611205424503

Item no LVI 0855108

Item no RSK 1314194

Item no VVS 004240450

### Dimensions

Item Unit Height 55

Item Unit Length 55

Item Unit Weight 0,261

Item Unit Width 50

Item\_UOM pce

### Packaging

Packaging GTIN PL1 07611205224509

Packaging GTIN PL4 06414900125468

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 40

Packaging Quantity PL4 2160

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1 10,654

Packaging Weight PL4 583,76

Packaging Width PL1	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)