


## GF Malleable Fittings socket reduced 240 3 - 2 G

### 1153743

ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations. Steel parts are hexagonal instead of beaded at the end no. 1.



## About GF Malleable Fittings socket reduced 240

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings socket reduced 240 3 - 2 G

1153743



### Product code

Item no EAN 7611205424893

Item no GF 770240244

Item no GTIN 07611205424893

Item no LVI 0855116

Item no NOBB 60639040

Item no NRF 1366772

Item no RSK 1314483

Item no VVS 004240480

### Dimensions

Item Unit Height 107

Item Unit Length 107

Item Unit Weight 0,894

Item Unit Width 80

Item\_UOM pce

### Packaging

Packaging GTIN PL1 07611205224899

Packaging GTIN PL4 06414900125307

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL4 540

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1	10,558
Packaging Weight PL4	502,76
Packaging Width PL1	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)