


GF Malleable Fittings 241 - reducing bush, black 2 - 1/2

1153782

- Reducing bush, ISO/EN N4
- Forms I, II, III are available only as marked under column "Form", Form I can also be supplied
- with continuous internal thread (=241D).
- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not
- suitable for drinking water installations.



About GF Malleable Fittings 241 - reducing bush, black

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings 241 - reducing bush, black 2 - 1/2

1153782



Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205325480 |
| Item no GF | 770241137 |
| Item no GTIN | 07611205325480 |
| Item no NOBB | 60639071 |
| Item no NRF | 1366803 |
| Item no RSK | 1318518 |
| Item no VVS | 004241163 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 65 |
| Item Unit Length | 75 |
| Item Unit Weight | 0,464 |
| Item Unit Width | 48 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 07611205125486 |
| Packaging GTIN PL4 | 06414900122344 |
| Packaging Height PL1 | 200 |
| Packaging Height PL4 | 729 |
| Packaging Length PL1 | 260 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 30 |
| Packaging Quantity PL4 | 1620 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00988 |
| Packaging Volume PL4 | 0,69984 |
| Packaging Weight PL1 | 14,134 |

| | |
|----------------------|--------|
| Packaging Weight PL4 | 771,68 |
| Packaging Width PL1 | 190 |
| Packaging Width PL4 | 800 |
| Measurements | |
| Wall thickness_s | 65 |
| Z Measurement a | 35 |
| Z Measurement a | 35 |
| Z Measurement b | 48 |
| Z MEASUREMENT S | 65 |
| Z | 35 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com