


GF Malleable Fittings hexagonal nipple reduced 245 1 1/2 - 1 B

1153879

ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



About GF Malleable Fittings hexagonal nipple reduced 245


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings hexagonal nipple reduced 245 1 1/2 - 1 B 1153879



Product code

Item no EAN 7611205326432

Item no GF 770245129

Item no GTIN 07611205326432

Item no LVI 0755143

Item no NOBB 60639108

Item no NRF 1366840

Item no RSK 1317064

Item no VVS 004245158

Dimensions

Item Unit Height 50

Item Unit Length 58

Item Unit Weight 0,28

Item Unit Width 59

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205126438

Packaging GTIN PL4 06414900122023

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 40

Packaging Quantity PL4 2160

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1	11,414
Packaging Weight PL4	624,8
Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb