


GF Malleable Fittings hexagonal nipple reduced 245 2 1/2 - 1 1/2 G 1153908

ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



About GF Malleable Fittings hexagonal nipple reduced 245


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings hexagonal nipple reduced 245 2 1/2 - 1 1/2 G 1153908



Status

Item Available From date 2025-09-05

Product code

Item no EAN 7611205426569

Item no GF 770245234

Item no GTIN 07611205426569

Item no NOBB 60639118

Item no NRF 1366850

Item no RSK 1317932

Item no VVS 004245473

Dimensions

Item Unit Height 80

Item Unit Length 92

Item Unit Weight 0,774

Item Unit Width 75

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205226565

Packaging GTIN PL4 06414900124676

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL4 540

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4	0,69984
Packaging Weight PL1	7,954
Packaging Weight PL4	437,96
Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb