


GF Malleable Fittings socket reduced 246 1 - 3/4 B

1153930

Socket, reducing, ISO/EN M4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations. Steel parts are hexagonal instead of beaded at the end no. 1.



About GF Malleable Fittings socket reduced 246


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings socket reduced 246 1 - 3/4 B 1153930



Product code

Item no EAN	7611205326777
Item no GF	770246122
Item no GTIN	07611205326777
Item no RSK	1312032
Item no VVS	004246143

Dimensions

Item Unit Height	46
Item Unit Length	46
Item Unit Weight	0,169
Item Unit Width	55
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205526771
Packaging GTIN PL2	07611205126773
Packaging GTIN PL4	06414900121859
Packaging Height PL1	46
Packaging Height PL2	200
Packaging Height PL4	729
Packaging Length PL1	225
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	60
Packaging Quantity PL4	3240
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,0054855
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	1,7
Packaging Weight PL2	10,3
Packaging Weight PL4	581,2
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb