


## GF Malleable Fittings socket reduced 246 1/2 - 1/4 G

### 1153946

Socket, reducing, ISO/EN M4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations. Steel parts are hexagonal instead of beaded at the end no. 1.



## About GF Malleable Fittings socket reduced 246

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings socket reduced 246 1/2 - 1/4 G

### 1153946



#### Product code

Item no EAN	7611205426705
Item no GF	770246217
Item no GTIN	07611205426705
Item no RSK	1363678
Item no VVS	004246425

#### Dimensions

Item Unit Height	32
Item Unit Length	32
Item Unit Weight	0,0635
Item Unit Width	43
Item_UOM	pce

#### Packaging

Packaging GTIN PL1	07611205626709
Packaging GTIN PL2	07611205226701
Packaging GTIN PL4	06414900124607
Packaging Height PL1	32
Packaging Height PL2	100
Packaging Height PL4	508
Packaging Length PL1	155
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	80
Packaging Quantity PL4	5760
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,0026288
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	0,645
Packaging Weight PL2	5,26
Packaging Weight PL4	403,72
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)