


## GF Malleable Fittings socket 270 1 1/2 G

**1154024**

- Socket, ISO/EN M2
- 'ST' these types of fittings are made from steel (galvanised finish = electroplated)
- Not suitable for drinking water installations.
- Steel parts are hexagonal instead of beaded.



### About GF Malleable Fittings socket 270

#### Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings socket 270 1 1/2 G

1154024



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205428297  |
| Item no GF   | 770270208      |
| Item no GTIN | 07611205428297 |
| Item no LVI  | 0855167        |
| Item no NOBB | 60639139       |
| Item no NRF  | 1366871        |
| Item no RSK  | 1311224        |
| Item no VVS  | 004270411      |

### Dimensions

|                  |        |
|------------------|--------|
| Item Unit Height | 62     |
| Item Unit Length | 62     |
| Item Unit Weight | 0,3718 |
| Item Unit Width  | 55     |
| Item_UOM         | pce    |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205228293 |
| Packaging GTIN PL4     | 06414900124164 |
| Packaging Height PL1   | 200            |
| Packaging Height PL4   | 729            |
| Packaging Length PL1   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 25             |
| Packaging Quantity PL4 | 1350           |
| Packaging Type PL1     | Base_Box       |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL1   | 0,00988        |
| Packaging Volume PL4   | 0,69984        |

|                      |        |
|----------------------|--------|
| Packaging Weight PL1 | 9,509  |
| Packaging Weight PL4 | 521,93 |
| Packaging Width PL1  | 190    |
| Packaging Width PL4  | 800    |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)