


## GF Malleable Fittings hexagonal nipple 280 3/4 B

### 1154058

Hexagon nipple, ISO/EN N8

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



## About GF Malleable Fittings hexagonal nipple 280

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings hexagonal nipple 280 3/4 B

1154058



### Product code

Item no EAN 7611205329136

Item no GF 770280105

Item no GTIN 07611205329136

Item no LVI 0755160

Item no NOBB 60639154

Item no NRF 1366886

Item no RSK 1316348

Item no VVS 004280106

### Dimensions

Item Unit Height 33

Item Unit Length 37

Item Unit Weight 0,114

Item Unit Width 47

Item\_UOM pce

### Packaging

Packaging GTIN PL1 07611205529130

Packaging GTIN PL2 07611205129132

Packaging GTIN PL4 06414900121330

Packaging Height PL1 33

Packaging Height PL2 200

Packaging Height PL4 729

Packaging Length PL1 180

Packaging Length PL2 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL2 100

Packaging Quantity PL4 5400

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0031482
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	1,14621
Packaging Weight PL2	11,6761
Packaging Weight PL4	655,5094
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)