


GF Malleable Fittings hexagonal nipple 280 1 B

1154059

Hexagon nipple, ISO/EN N8

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



About GF Malleable Fittings hexagonal nipple 280

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings hexagonal nipple 280 1 B

1154059



Product code

Item no EAN 7611205329143

Item no GF 770280106

Item no GTIN 07611205329143

Item no LVI 0755161

Item no NOBB 60639156

Item no NRF 1366888

Item no RSK 1316355

Item no VVS 004280108

Dimensions

Item Unit Height 42

Item Unit Length 48

Item Unit Weight 0,1801

Item Unit Width 53

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205529147

Packaging GTIN PL2 07611205129149

Packaging GTIN PL4 06414900121323

Packaging Height PL1 42

Packaging Height PL2 200

Packaging Height PL4 729

Packaging Length PL1 225

Packaging Length PL2 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL2 60

Packaging Quantity PL4 3240

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0050085
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	1,811
Packaging Weight PL2	10,966
Packaging Weight PL4	617,164
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb