


## GF Malleable Fittings hexagonal nipple 280 3 B

### 1154064

Hexagon nipple, ISO/EN N8

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



## About GF Malleable Fittings hexagonal nipple 280

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings hexagonal nipple 280 3 B

1154064



### Product code

Item no EAN 7611205329204

Item no GF 770280111

Item no GTIN 07611205329204

Item no LVI 0755165

Item no NOBB 60639166

Item no NRF 1366898

Item no RSK 1316405

Item no VVS 004280114

### Dimensions

Item Unit Height 100

Item Unit Length 117

Item Unit Weight 1,108

Item Unit Width 83

Item\_UOM pce

### Packaging

Packaging GTIN PL1 07611205129200

Packaging GTIN PL4 06414900121279

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 385

Packaging Length PL4 1200

Packaging Quantity PL1 15

Packaging Quantity PL4 405

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,019635

Packaging Volume PL4 0,69984

Packaging Weight PL1	17,04
Packaging Weight PL4	468,74
Packaging Width PL1	255
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)