


## GF Malleable Fittings hexagonal nipple 280 1 1/2 G

### 1154073

Hexagon nipple, ISO/EN N8

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



## About GF Malleable Fittings hexagonal nipple 280


### Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings hexagonal nipple 280 1 1/2 G 1154073



### Product code

Item no EAN 7611205429164

Item no GF 770280208

Item no GTIN 07611205429164

Item no LVI 0855179

Item no NOBB 60639161

Item no NRF 1366893

Item no RSK 1316520

Item no VVS 004280411

### Dimensions

Item Unit Height 55

Item Unit Length 63

Item Unit Weight 0,3342

Item Unit Width 59

Item\_UOM pce

### Packaging

Packaging GTIN PL1 07611205229160

Packaging GTIN PL4 06414900123938

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 30

Packaging Quantity PL4 1620

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1	10,24
Packaging Weight PL4	561,404
Packaging Width PL1	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)