


GF Malleable Fittings hexagonal nipple 280 3 G

1154076

Hexagon nipple, ISO/EN N8

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



About GF Malleable Fittings hexagonal nipple 280

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings hexagonal nipple 280 3 G

1154076



Product code

Item no EAN 7611205429201

Item no GF 770280211

Item no GTIN 07611205429201

Item no LVI 0855182

Item no NOBB 60639167

Item no NRF 1366899

Item no RSK 1316553

Item no VVS 004280414

Dimensions

Item Unit Height 100

Item Unit Length 117

Item Unit Weight 1,141

Item Unit Width 83

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205229207

Packaging GTIN PL4 06414900123907

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 385

Packaging Length PL4 1200

Packaging Quantity PL1 15

Packaging Quantity PL4 405

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,019635

Packaging Volume PL4 0,69984

| | |
|----------------------|---------|
| Packaging Weight PL1 | 17,535 |
| Packaging Weight PL4 | 482,105 |
| Packaging Width PL1 | 255 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb