


GF Malleable Fittings plug beaded 290 1/8 STA B 1154100

Plug, beaded, ISO/EN T9

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.
- * Solid



About GF Malleable Fittings plug beaded 290


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings plug beaded 290 1/8 STA B 1154100



Status

Item Available From date 2025-09-05

Product code

Item no EAN	7611205329600
Item no GF	770290101
Item no GTIN	07611205329600
Item no LVI	0755166
Item no RSK	1253997
Item no VVS	004290101

Dimensions

Item Unit Height	7
Item Unit Length	10
Item Unit Weight	0,0112
Item Unit Width	20
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205529604
Packaging GTIN PL2	07611205129606
Packaging GTIN PL4	06414900121194
Packaging Height PL1	7
Packaging Height PL2	100
Packaging Height PL4	508
Packaging Length PL1	135
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	100
Packaging Quantity PL4	7200

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00050085
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	0,1166575
Packaging Weight PL2	1,286575
Packaging Weight PL4	117,6334
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb