


GF Malleable Fittings plug beaded 290 1/2 B

1154103

Plug, beaded, ISO/EN T9

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.
- * Solid



About GF Malleable Fittings plug beaded 290


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings plug beaded 290 1/2 B 1154103



Product code

Item no EAN 7611205329655

Item no GF 770290104

Item no GTIN 07611205329655

Item no LVI 0755169

Item no NOBB 60639172

Item no NRF 1366904

Item no RSK 1254003

Item no VVS 004290104

Dimensions

Item Unit Height 27

Item Unit Length 29

Item Unit Weight 0,066

Item Unit Width 32

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205529659

Packaging GTIN PL2 07611205129651

Packaging GTIN PL4 06414900121163

Packaging Height PL1 27

Packaging Height PL2 200

Packaging Height PL4 534

Packaging Length PL1 155

Packaging Length PL2 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL2 200

Packaging Quantity PL4 7200

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00221805
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,51264
Packaging Weight PL1	0,6653475
Packaging Weight PL2	13,52095
Packaging Weight PL4	511,7542
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb