


## GF Malleable Fittings plug plain 291 3/8 STA B

### 1154134

Plug, plain, ISO/EN TB

- ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations. Steel parts are made solid.



## About GF Malleable Fittings plug plain 291

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings plug plain 291 3/8 STA B

1154134



### Product code

Item no EAN	7611205330026
Item no GF	770291103
Item no GTIN	07611205330026
Item no NOBB	60639186
Item no NRF	1366918
Item no RSK	1320027
Item no VVS	004291103

### Dimensions

Item Unit Height	18
Item Unit Length	18
Item Unit Weight	0,0232
Item Unit Width	20
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205530020
Packaging GTIN PL2	07611205130022
Packaging GTIN PL4	06414900121026
Packaging Height PL1	18
Packaging Height PL2	100
Packaging Height PL4	508
Packaging Length PL1	135
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	100
Packaging Quantity PL4	7200
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0012879
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	0,2366575
Packaging Weight PL2	2,486575
Packaging Weight PL4	204,0334
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)