


## GF Malleable Fittings plug plain 291 1 B

**1154137**

- Plug, plain, ISO/EN TB
- 'ST' these types of fittings are made from steel (galvanised finish = electroplated)
- Not suitable for drinking water installations
- Steel parts are made solid.



### About GF Malleable Fittings plug plain 291

#### Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings plug plain 291 1 B

1154137



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205330125  |
| Item no GF   | 770291106      |
| Item no GTIN | 07611205330125 |
| Item no NOBB | 60639193       |
| Item no NRF  | 1366925        |
| Item no RSK  | 1320050        |
| Item no VVS  | 004291108      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 34    |
| Item Unit Length | 34    |
| Item Unit Weight | 0,098 |
| Item Unit Width  | 33    |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205530129 |
| Packaging GTIN PL2     | 07611205130121 |
| Packaging GTIN PL4     | 06414900120982 |
| Packaging Height PL1   | 34             |
| Packaging Height PL2   | 100            |
| Packaging Height PL4   | 508            |
| Packaging Length PL1   | 180            |
| Packaging Length PL2   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 10             |
| Packaging Quantity PL2 | 60             |
| Packaging Quantity PL4 | 4320           |
| Packaging Type PL1     | Plastic_Bag    |

|                      |            |
|----------------------|------------|
| Packaging Type PL2   | Medium_Box |
| Packaging Type PL4   | Pallet     |
| Packaging Volume PL1 | 0,0032436  |
| Packaging Volume PL2 | 0,00494    |
| Packaging Volume PL4 | 0,48768    |
| Packaging Weight PL1 | 0,99       |
| Packaging Weight PL2 | 6,04       |
| Packaging Weight PL4 | 459,88     |
| Packaging Width PL1  | 530        |
| Packaging Width PL2  | 190        |
| Packaging Width PL4  | 800        |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)