


GF Malleable Fittings cap 300 4 B

1154190

Cap, ISO/EN T1

ST ... these types of fittings are made from steel (galvanised finish = electroplated) and not suitable for drinking water installations.



About GF Malleable Fittings cap 300

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings cap 300 4 B

1154190



Product code

Item no EAN	7611205330811
Item no GF	770300112
Item no GTIN	07611205330811
Item no LVI	0755186
Item no RSK	1254044
Item no VVS	004300116

Dimensions

Item Unit Height	128
Item Unit Length	135
Item Unit Weight	1,78
Item Unit Width	54
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205130817
Packaging GTIN PL4	06414900120678
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	8
Packaging Quantity PL4	432
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	14,454
Packaging Weight PL4	788,96

Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb