


## GF Malleable Fittings backnut 312 3/8 STA B

### 1154250

Backnut, recessed, ISO/EN P4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated).



## About GF Malleable Fittings backnut 312

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings backnut 312 3/8 STA B

1154250



### Product code

Item no EAN	7611205332051
Item no GF	770312103
Item no GTIN	07611205332051
Item no RSK	1254063
Item no VVS	004312103

### Dimensions

Item Unit Height	27
Item Unit Length	32
Item Unit Weight	0,02
Item Unit Width	8
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205532055
Packaging GTIN PL2	07611205132057
Packaging GTIN PL4	06414900120487
Packaging Height PL1	27
Packaging Height PL2	100
Packaging Height PL4	508
Packaging Length PL1	135
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	100
Packaging Quantity PL4	7200
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00193185
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	0,2046575
Packaging Weight PL2	2,166575
Packaging Weight PL4	180,9934
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Status

Until stocks last Until stocks last

## Measurements

Wall thickness _s	27
-------------------	----

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)