


GF Malleable Fittings backnut 312 3/4 G

1154260

Backnut, recessed, ISO/EN P4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated).



About GF Malleable Fittings backnut 312

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings backnut 312 3/4 G

1154260



Product code

Item no EAN	7611205432140
Item no GF	770312205
Item no GTIN	07611205432140
Item no RSK	1254068
Item no VVS	004312406

Dimensions

Item Unit Height	37
Item Unit Length	42
Item Unit Weight	0,041
Item Unit Width	10
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205632144
Packaging GTIN PL2	07611205232146
Packaging GTIN PL4	06414900241557
Packaging Height PL1	37
Packaging Height PL2	100
Packaging Height PL4	508
Packaging Length PL1	155
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	100
Packaging Quantity PL4	7200
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00303955
Packaging Volume PL2	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	0,4153475
Packaging Weight PL2	4,273475
Packaging Weight PL4	332,6902
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Status

Until stocks last Until stocks last

Measurements

Wall thickness _s	37
-------------------	----

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb