


GF Malleable Fittings backnut 312 1 1/2 G

1154263

Backnut, recessed, ISO/EN P4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated).



About GF Malleable Fittings backnut 312


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings backnut 312 1 1/2 G 1154263



Product code

Item no EAN	7611205432249
Item no GF	770312208
Item no GTIN	07611205432249
Item no RSK	1254074
Item no VVS	004312411

Dimensions

Item Unit Height	60
Item Unit Length	68
Item Unit Weight	0,131
Item Unit Width	14
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205232245
Packaging GTIN PL4	06414900241526
Packaging Height PL1	100
Packaging Height PL4	508
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	40
Packaging Quantity PL4	2880
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00494
Packaging Volume PL4	0,48768
Packaging Weight PL1	5,36
Packaging Weight PL4	397,28
Packaging Width PL1	190

Packaging Width PL4

800

Status

Until stocks last

Until stocks last

Measurements

Wall thickness_s

60

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb