


GF Malleable Fittings backnut 312 2 G

1154264

Backnut, recessed, ISO/EN P4

- ST ... these types of fittings are made from steel (galvanised finish = electroplated).



About GF Malleable Fittings backnut 312

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings backnut 312 2 G

1154264



Product code

Item no EAN 7611205432263

Item no GF 770312209

Item no GTIN 07611205432263

Item no NOBB 60639224

Item no NRF 1366956

Item no RSK 1254076

Item no VVS 004312412

Dimensions

Item Unit Height 73

Item Unit Length 87

Item Unit Weight 0,207

Item Unit Width 16

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205232269

Packaging GTIN PL4 06414900241519

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 50

Packaging Quantity PL4 2700

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1 10,564

Packaging Weight PL4	578,9
Packaging Width PL1	190
Packaging Width PL4	800
Status	
Until stocks last	Until stocks last
Measurements	
Wall thickness_s	73

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb