Product data sheet




GF Malleable Fittings 341 - union taper seat, black 3/8

1154415

- Union taper seat, ISO/EN U12

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings 341 - union taper seat, black

Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5
to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT)
acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment
Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees,
between 120-300 degrees use interpolated values,
Max. 20bar at 300 degrees
- Sizes from ¼" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings 341 - union taper seat, black 3/8

1154415



Product code

Item no EAN	7611205338497
Item no GF	770341103
Item no GTIN	07611205338497
Item no LVI	0755198
Item no NOBB	60639240
Item no NRF	1366972
Item no RSK	1260926
Item no VVS	004341103

Dimensions

Item Unit Height	32
Item Unit Length	35
Item Unit Weight	0,135
Item Unit Width	59
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900572712
Packaging GTIN PL4	06414900572729
Packaging Height PL1	96
Packaging Height PL4	508
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	40

Packaging Quantity PL4	2880
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0047424
Packaging Volume PL4	0,48768
Packaging Weight PL1	5,500
Packaging Weight PL4	421
Packaging Width PL1	190
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	corrugated cardboard / cartone

Measurements

Wall thickness_s1	22
Wall thickness_s2	32
Wall thickness s3	20
Z Measurement b	59
Z Measurement d	3/8
Z2	49

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+