


## GF Malleable Fittings union CuSn/Fe seat 342 1/2 B

### 1154442

Union, spherical seat/taper seat Bronze to Iron, ISO/EN U11

- Torque and notes for installation please find in "Technical Product Notes".
- Not suitable for drinking water installation!

374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



## About GF Malleable Fittings union CuSn/Fe seat 342

### Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

### Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

## GF Malleable Fittings union CuSn/Fe seat 342 1/2 B

1154442



### Product code

Item no EAN	7611205338862
Item no GF	770342104
Item no GTIN	07611205338862
Item no RSK	1260879

### Dimensions

Item Unit Height	44
Item Unit Length	48
Item Unit Weight	0,216
Item Unit Width	48
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205138868
Packaging GTIN PL4	06414900119610
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	70
Packaging Quantity PL4	3780
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	15,334
Packaging Weight PL4	836,48
Packaging Width PL1	190
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)