


GF Malleable Fittings union taper seat 344 1 1/2 B

1154460

Union taper seat

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union taper seat 344


Specification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union taper seat 344 1 1/2 B 1154460



Product code

Item no EAN	7611205339494
Item no GF	770344108
Item no GTIN	07611205339494
Item no RSK	1260916
Item no VVS	004344111

Dimensions

Item Unit Height	74
Item Unit Length	81
Item Unit Weight	1,047
Item Unit Width	123
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205139490
Packaging GTIN PL4	06414900073073
Packaging Height PL1	200
Packaging Height PL4	534
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	360
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,51264
Packaging Weight PL1	10,684
Packaging Weight PL4	396,92
Packaging Width PL1	190

Packaging Width PL4

800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb