


GF Malleable Fittings union taper seat 344 1/2 G

1154464

Union taper seat

- Torque and notes for installation please find in "Technical Product Notes".
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union taper seat 344

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union taper seat 344 1/2 G

1154464



Status

Item Available From date

2025-09-05

Product code

Item no EAN	7611205439453
Item no GF	770344204
Item no GTIN	07611205439453
Item no RSK	1260909
Item no VVS	004344404

Dimensions

Item Unit Height	41
Item Unit Length	45
Item Unit Weight	0,2669
Item Unit Width	85
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205639457
Packaging GTIN PL2	07611205239459
Packaging GTIN PL4	06414900240536
Packaging Height PL1	41
Packaging Height PL2	200
Packaging Height PL4	534
Packaging Length PL1	135
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	50
Packaging Quantity PL4	1800
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00293355
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,51264
Packaging Weight PL1	2,679
Packaging Weight PL2	13,495
Packaging Weight PL4	510,82
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb