


GF Malleable Fittings union 2x CuSn seat 342a 1/2 G

1154476

Union, spherical seat/taper seat Bronze to Bronze, ISO/ENU11

- Torque and notes for installation please find in "Technical Product Notes".
- Not suitable for drinking water installation!
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union 2x CuSn seat 342a

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union 2x CuSn seat 342a 1/2 G

1154476



Product code

Item no EAN	7611205439170
Item no GF	770345204
Item no GTIN	07611205439170
Item no RSK	1260893

Dimensions

Item Unit Height	44
Item Unit Length	48
Item Unit Weight	0,2292
Item Unit Width	48
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205239176
Packaging GTIN PL4	06414900240611
Packaging Height PL1	200
Packaging Height PL4	729
Packaging Length PL1	260
Packaging Length PL4	1200
Packaging Quantity PL1	70
Packaging Quantity PL4	3780
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	16,258
Packaging Weight PL4	886,376
Packaging Width PL1	190
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb