


GF Malleable Fittings union 2x CuSn seat 342a 2 G

1154481

Union, spherical seat/taper seat Bronze to Bronze, ISO/ENU11

- Torque and notes for installation please find in "Technical Product Notes".
- Not suitable for drinking water installation!
- 374 G ... refers to the thread size G according to ISO 228 of the union nut 374.



About GF Malleable Fittings union 2x CuSn seat 342a

Specification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings union 2x CuSn seat 342a 2 G

1154481



Product code

Item no EAN 7611205439224

Item no GF 770345209

Item no GTIN 07611205439224

Item no RSK 1260903

Dimensions

Item Unit Height 90

Item Unit Length 99

Item Unit Weight 1,089

Item Unit Width 85

Item_UOM pce

Packaging

Packaging GTIN PL1 07611205239220

Packaging GTIN PL4 06414900240567

Packaging Height PL1 200

Packaging Height PL4 729

Packaging Length PL1 260

Packaging Length PL4 1200

Packaging Quantity PL1 10

Packaging Quantity PL4 540

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00988

Packaging Volume PL4 0,69984

Packaging Weight PL1 11,104

Packaging Weight PL4 608,06

Packaging Width PL1 190

Packaging Width PL4 800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb