


## GF Malleable Fittings 471 - bracket elbow, galvanized 3/4

**1154718**

- Bracket elbow



### About GF Malleable Fittings 471 - bracket elbow, galvanized

#### Specification


- Unique Whiteheart ductile Cast Iron to EN-GJM-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings 471 - bracket elbow, galvanized 3/4

1154718



### Status

Item Available From date

2025-09-05

### Product code

Item no EAN	7611205452438
Item no GF	770471205
Item no GTIN	07611205452438
Item no RSK	1274141
Item no VVS	004471406

### Dimensions

Item Unit Height	70
Item Unit Length	70
Item Unit Weight	0,2933
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	07611205652432
Packaging GTIN PL2	07611205252434
Packaging GTIN PL4	06414900239417
Packaging Height PL1	70
Packaging Height PL2	200
Packaging Height PL4	729
Packaging Length PL1	270
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL2	30
Packaging Quantity PL4	1620
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,010017
Packaging Volume PL2	0,00988
Packaging Volume PL4	0,69984
Packaging Weight PL1	2,943
Packaging Weight PL2	8,929
Packaging Weight PL4	507,166
Packaging Width PL1	530
Packaging Width PL2	190
Packaging Width PL4	800

## Measurements

Z Measurement a	33
Z Measurement a	33
Z Measurement b	17
Z Measurement d	70
Z Measurement k	53,5
Z	18

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com