


## GF Malleable Fittings extension tube 526 3/4 80 B

**1154731**

- Extension tube
- \* Due to overall fitting length, the length of the external thread does not comply with the standard.



### About GF Malleable Fittings extension tube 526

#### Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings extension tube 526 3/4 80 B

1154731



### Status

Item Available From date

2025-09-05

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205352851  |
| Item no GF   | 770526131      |
| Item no GTIN | 07611205352851 |
| Item no RSK  | 1363767        |
| Item no VVS  | 004526186      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 38    |
| Item Unit Length | 38    |
| Item Unit Weight | 0,174 |
| Item Unit Width  | 80    |
| Item_UOM         | pce   |

### Measurements

|          |    |
|----------|----|
| LENGTH_L | 80 |
| Z        | 65 |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205552855 |
| Packaging GTIN PL2     | 07611205152857 |
| Packaging GTIN PL4     | 06414900071888 |
| Packaging Height PL1   | 38             |
| Packaging Height PL2   | 200            |
| Packaging Height PL4   | 729            |
| Packaging Length PL1   | 225            |
| Packaging Length PL2   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 10             |

|                        |             |
|------------------------|-------------|
| Packaging Quantity PL2 | 60          |
| Packaging Quantity PL4 | 3240        |
| Packaging Type PL1     | Plastic_Bag |
| Packaging Type PL2     | Medium_Box  |
| Packaging Type PL4     | Pallet      |
| Packaging Volume PL1   | 0,0045315   |
| Packaging Volume PL2   | 0,00988     |
| Packaging Volume PL4   | 0,69984     |
| Packaging Weight PL1   | 1,75        |
| Packaging Weight PL2   | 10,6        |
| Packaging Weight PL4   | 597,4       |
| Packaging Width PL1    | 530         |
| Packaging Width PL2    | 190         |
| Packaging Width PL4    | 800         |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 927000  
 E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)