


GF Malleable Fittings 526 - extension tube, galvanized 1/2 120

1154743

- Extension tube

- * Due to overall fitting length, the length of the external thread does not comply with the standard.



About GF Malleable Fittings 526 - extension tube, galvanized

Specification

- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

GF Malleable Fittings 526 - extension tube, galvanized 1/2 120

1154743



Status

Item Available From date

2025-09-05

Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205452797 |
| Item no GF | 770526226 |
| Item no GTIN | 07611205452797 |
| Item no RSK | 1363758 |
| Item no VVS | 004526524 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 32 |
| Item Unit Length | 32 |
| Item Unit Weight | 0,21 |
| Item Unit Width | 120 |
| Item_UOM | pce |

Measurements

| | |
|-----------------|-----|
| LENGTH_L | 120 |
| Z Measurement a | 120 |
| Z Measurement a | 120 |
| Z Measurement d | 1/2 |
| Z | 107 |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 07611205652791 |
| Packaging GTIN PL2 | 07611205252793 |
| Packaging GTIN PL4 | 06414900239332 |
| Packaging Height PL1 | 32 |
| Packaging Height PL2 | 100 |
| Packaging Height PL4 | 508 |
| Packaging Length PL1 | 225 |

| | |
|------------------------|-------------|
| Packaging Length PL2 | 260 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 10 |
| Packaging Quantity PL2 | 30 |
| Packaging Quantity PL4 | 2160 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Type PL2 | Medium_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,003816 |
| Packaging Volume PL2 | 0,00494 |
| Packaging Volume PL4 | 0,48768 |
| Packaging Weight PL1 | 2,11 |
| Packaging Weight PL2 | 6,43 |
| Packaging Weight PL4 | 487,96 |
| Packaging Width PL1 | 530 |
| Packaging Width PL2 | 190 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfischer.com