


## GF Malleable Fittings longscrew hexagonal nipple 534 1/2 G

**1154769**

- Longscrew hexagon nipple
- Hot dip galvanised, thread electroplated.



### About GF Malleable Fittings longscrew hexagonal nipple 534

#### Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

#### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings longscrew hexagonal nipple 534 1/2 G

1154769



### Status

Item Available From date

2025-09-05

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205456191  |
| Item no GF   | 770534204      |
| Item no GTIN | 07611205456191 |
| Item no RSK  | 1316352        |
| Item no VVS  | 004534404      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 32    |
| Item Unit Length | 37    |
| Item Unit Weight | 0,113 |
| Item Unit Width  | 77    |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205256197 |
| Packaging GTIN PL4     | 06414900239127 |
| Packaging Height PL1   | 100            |
| Packaging Height PL4   | 508            |
| Packaging Length PL1   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 40             |
| Packaging Quantity PL4 | 2880           |
| Packaging Type PL1     | Base_Box       |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL1   | 0,00494        |
| Packaging Volume PL4   | 0,48768        |
| Packaging Weight PL1   | 4,64           |

|                      |        |
|----------------------|--------|
| Packaging Weight PL4 | 345,44 |
| Packaging Width PL1  | 190    |
| Packaging Width PL4  | 800    |

## Measurements

|                  |    |
|------------------|----|
| Wall thickness_s | 32 |
|------------------|----|

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)