


## GF Malleable Fittings 596 - plug, hexagon/square inside, black 1 1/2

**1154804**

- Plug, hexagon/square inside, ISO/EN T11
- ST ... these types of fittings are made from steel (galvanised finish = electroplated)
- and not suitable for drinking water installations.



### About GF Malleable Fittings 596 - plug, hexagon/square inside, black Specification


- Unique Whiteheart ductile Cast Iron to EN-GJMW-400-5 to BS EN 1562, design symbol A
- Thread type BSP - R or Rp to BS EN 10226-1 / ISO 7-1
- Union or flat-nut thread types to BS EN 228-1
- Manufactured to BS EN 10242 (ISO 49)
- Cast Iron is fire class A1 to BS EN 13501-1 (CWFT) acc. to Commission Decision 96/603/EC (as amended)
- Natural Black or Galvanized (99.995 zinc)
- Coated with medical-grade oil for corrosion protection
- Suitable for systems covered by the Pressure Equipment Safety Regulation:2016
- Max. pressure 25 bar up to 120 degrees, between 120-300 degrees use interpolated values, Max. 20bar at 300 degrees
- Sizes from 1/4" to 4"

### Application

- Heating - LTHW, MTHW and HTHW
- Steam
- Chilled water and cooling applications
- Compressed air
- Fuel gases
- Fuel oils
- Fire defence / sprinklers

## GF Malleable Fittings 596 - plug, hexagon/square inside, black 1 1/2

1154804



## Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7611205359379  |
| Item no GF   | 770596108      |
| Item no GTIN | 07611205359379 |
| Item no RSK  | 1254141        |
| Item no VVS  | 004296111      |

## Dimensions

|                  |        |
|------------------|--------|
| Item Unit Height | 49     |
| Item Unit Length | 49     |
| Item Unit Weight | 0,1979 |
| Item Unit Width  | 22     |
| Item_UOM         | pce    |

## Measurements

|                  |       |
|------------------|-------|
| Male_thread_R    | 1 1/2 |
| Wall thickness_s | 22    |
| Z Measurement d  | 22    |
| Z MEASUREMENT S  | 22    |

## Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 07611205159375 |
| Packaging GTIN PL4     | 06414900071437 |
| Packaging Height PL1   | 100            |
| Packaging Height PL4   | 508            |
| Packaging Length PL1   | 260            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 25             |
| Packaging Quantity PL4 | 1800           |
| Packaging Type PL1     | Base_Box       |
| Packaging Type PL4     | Pallet         |

|                      |         |
|----------------------|---------|
| Packaging Volume PL1 | 0,00494 |
| Packaging Volume PL4 | 0,48768 |
| Packaging Weight PL1 | 5,0675  |
| Packaging Weight PL4 | 376,22  |
| Packaging Width PL1  | 190     |
| Packaging Width PL4  | 800     |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com