


GF JRG union with non-return valve DN20

1155808

- Description: to 3400, with flat gasket
- Temperature: max. 90°C
- Nominal pressure: PN10
- Material: gunmetal, brass, plastic
- Connection: female thread



About GF JRG union with non-return valve

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG union with non-return valve DN20

1155808



Measurements

Cylindric thread G2	1 1/4
Female thread Rp1	3/4
Length (l1)	8
Length (l2)	45
Z Measurement d	20
Z	30

Status

Item Available From date	2026-06-25
--------------------------	------------

Product code

Item no EAN	7613263014252
Item no GF	350768801
Item no GTIN	07613263014252
Item no RSK	4893421

Dimensions

Item Unit Height	50
Item Unit Length	53
Item Unit Weight	0,235
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900115568
Packaging Height PL1	52
Packaging Length PL1	55
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00014872
Packaging Weight PL1	0,239

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com