


GF JRGARANT pressure relief valve 6 bar DN25**1157117**

- Temperature: 90°C
- Nominal pressure: PN10
- Material: gunmetal
- Factory setting: 600 kPa (6 bar)
- Connection: inlet male thread, outlet female thread

**About GF JRGARANT pressure relief valve 6 bar****Specification**


- Dimension range DN15 – DN25
- Standard with factory setting 6 bar, other response pressures from 1 to 10 bar are available on request.

Application

Potable water installation in supply line to hot water heater

GF JRGARANT pressure relief valve 6 bar DN25

1157117



Product code

Item no EAN	7613263100351
Item no GF	350599610
Item no GTIN	07613263100351

Dimensions

Item Unit Height	50
Item Unit Length	105
Item Unit Weight	0,62
Item Unit Width	95
Item_UOM	pce

Measurements

Length (l1)	46
Length (l2)	49
Z Measurement h1	39
Z Measurement h2	65
Z	22

Packaging

Packaging GTIN PL1	06414900175630
Packaging Height PL1	50
Packaging Length PL1	150
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0009
Packaging Weight PL1	0,63
Packaging Width PL1	120

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb