

## GF JRG Sanipex MT pipe bar S 16, 3m

**1158063**

Description: in bars

Material: multilayer pipe PE-X/AL/PE-X

\*as long as stock last



### About GF JRG Sanipex MT pipe bar S

#### Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threaded connections are detachable and reusable.

#### Application

- Application area Cold and hot water, HVAC, compressed air, greywater
- 
- Installation Surface and flush-mounted installations throughout the building

#### Certification

- 4,1

GF JRG Sanipex MT pipe bar S 16, 3m

1158063



Status

Item Available Till date

2025-12-31T00:00:00.000+0100

Until stocks last

Until stocks last

Product code

Item no EAN

7613263037879

Item no GF

351616712

Item no GTIN

07613263037879

Item no LVI

1749170

Item no RSK

1874238

Dimensions

Item Unit Height

16

Item Unit Length

1000

Item Unit Weight

0,127

Item Unit Width

16

Item\_UOM

m

Packaging

Packaging GTIN PL1

06414900080217

Packaging GTIN PL2

06414900080224

Packaging GTIN PL4

06414900208765

Packaging Height PL1

16

Packaging Height PL2

105

Packaging Height PL4

545

Packaging Length PL1

3000

Packaging Length PL2

3050

Packaging Length PL4

3060

Packaging Quantity PL1

3

Packaging Quantity PL2

75

Packaging Quantity PL4

2700

Packaging Type PL1

Piece

|                      |             |
|----------------------|-------------|
| Packaging Type PL2   | Medium_Box  |
| Packaging Type PL4   | Wooden_Cage |
| Packaging Volume PL1 | 0,000768    |
| Packaging Volume PL2 | 0,03362625  |
| Packaging Volume PL4 | 1,967886    |
| Packaging Weight PL1 | 0,381       |
| Packaging Weight PL2 | 12,525      |
| Packaging Weight PL4 | 530,9       |
| Packaging Width PL1  | 16          |
| Packaging Width PL2  | 105         |
| Packaging Width PL4  | 1180        |

## Measurements

|                  |      |
|------------------|------|
| Wall thickness_s | 2,25 |
|------------------|------|

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)